



Thank you for using our products. Please read this manual carefully before using the products! This product is only for household use or similar products.



CONTENTS



1



CONTENTS

1 Safety precautions	3
2 Product introduction Function description of control panel	5 6
3 Befor ues Disassembly and installation methods of the back Placement of air purifier Installation of filter screen Understand the function of filter screen Integrating multiple functions into one Unique triple purification technology	7 x cover 7 7 8-9 10 11 11
4 Usage method Function description of control panel Turn on the purifier Manual mode + automatic mode Air volume setting Sleep function Anion function Timing function Reset function WIFI function	12 12 13 13 14 14 14 14 14
5 Maintenance and cleaning methods Clean air purifier Replace the filter screen Operation steps When idle for a long time Reference time for replacing filter screen	18 18 19 19-20 21 21
6 Fault handing Warranty and service Ordering parts or accessories Parts	22 23 23 23
7 Other information Recovery	23 23



1 Safety precautions

In order to avoid possible injury or financial damage to you or others, please pay attention to the following safety precautions.

If the power cord is damaged, it must be repaired by professional personnel of the manufacturer, its maintenance department or similar department in order to avoid danger.



WARNING



forbidden!

Don't touch power plug with wet hands Or else may cause electric shock.



Please make sure to turn off the power before cleaning machine.

Else it may cause machine sudden running and further electric shock accident.



Porbidden to use beyond power or connected devices beyond specified value. Only can use 220-240V~ alternating current(AC)

power supply

Overheating and fire accident may occur if you use universal socket or devices beyond specified value.



Before starting the air purifier, please insert the plug completely into the power socket.

If not, it may cause electric shock and overheating, even fire accidents.

Don't use damaged plug or loose power socket.



No damage the power line and socket. Do not bind wires when you use this machine.

It may cause electric shock, short circuit and fire accident if you use broken wires.

Any cutting and scratching, refitting, over distorting, twisting, screwing and pulling of lines are all forbidden. Do not put any heavy product on wires and sockets.



Regularly clean power plug

If dust accumulates on the power plug, its moisture may damage the insulation part of the plug, resulting in a fire accident.

- Pull out the power plug and wipe it with a dry cloth (don't use wet cloth!).
- If the canal is not used for a long time, its power plug should be removed.



Taking apart

is forbidden!

It is forbidden to disassemble or refit the air purifier without authorization.

Do not take apart or modify the air purifer without authrozation.

Taking apart or midifying air purifier without authorization may cause electric shock. malfunction or fire accident.



Do not put bars or metal products nearby air outlet or openings.

Forbidded! Else it may touch the internal parts and get an electric shock or damage.



Attention

- Disconnect the air purifier from the power source before move it.
- · Make sure to move the product slowly.
- · Don't move the product by pulling on the power cord.
- Don't not move the machine while the product is working. If you need to move the machine, turn off the power.

Notice

In case of any of the following situations, please turn off the power of the machine immediately.

- · Malfunction of any swtich.
- · Circuit breaker worked or fuse burned.
- · The power cord or plug is abnormally hot.
- · Any burnt smell, abnormal sound or shock.
- · Any other abnormality or malfunction



Notice



It is forbidden to use benzene or thinner and other solvents to clean the air purifier, so as to avoid contact with insecticide spray.

Otherwise, the air purifier may break and cause damage, or even short circuit, resulting in electric shock or fire accident.



Pull out the power plug, should hold the plug, should not pull the wire

If the wire is pulled directly, it may cause short circuit, or damage the wire and cause fire or electric shock



It is forbidden to use air purifier in places with greasy particles.

For example, in the kitchen, the air purifier may break and cause damage.

 The air purifier should not be used as ventilation or air extraction equipment.



Wetting forbidden!

The air purifier may leak electricity and cause electric shock or fire accident



Prohibit

It is forbidden to use the air purifier in the room with fumigation insecticide.

Chemical residues may accumulate in the machine and then release from the air outlet, which may endanger health.

 After using insecticides, the room should be thoroughly ventilated before using the air purifier.



Keep away from flames!

Do not let volatile substances or combustible materials, such as tobacco or Mars, float into the aircraft.

Otherwise, a fire accident may occur.




Don't get wet!

Don't wet the fuselage.

Otherwise, electric shock and fire accidents may occur due to short circuit.




2 Product description



If there is any difference between the product picture and the real object, please refer to the real object



Function description of control panel







Disassembly and installation of bottom cover

1 Disassembly method of bottom cover


Press the indicator key to screw out the bottom cover.





2 Installation method of bottom cover

Re install the bottom cover, press the unlock key to align and screw it in the locking direction.




Place where air purifier is placed

In order to make the air in your room reach good circulation effect, make sure that the distance between the air inlet and outlet of the machine is not less than 20 cm from the obstacle.

Please use more than one meter away from TV, radio and other electrical appliances.

- If it is placed in a unified place for a long time, sometimes the wall around the host will be dirty.
- Do not obstruct the air inlet and outlet to ensure adequate ventilation and maximum efficiency of the machine.



Installation of filter screen


Information

The air purifier is equipped with filter screen inside, but before using the product, the package of filter screen must be removed. Please follow the instructions below to remove the filter screen and remove its packaging, and then put it back into the purifier.

Attantion

- Ensure that the power plug is installed, maintained and transported when the power supply is disconnected.
- Do not operate the machine without the filter screen installed.
- Please remove the plastic package of the filter before use.

2 Press the bottom cover with your fingers and screw it out in the direction of unlocking. At the same time, the bottom cover is taken out upward.




3 Remove the filter screen inside the purifier.

Operation steps


For the first time using the air purifier, please follow the following steps to install the filter screen correctly.

1 Remove all packaging materials and place the machine on a dry, stable, level surface.






4 Remove the packing material from the filter screen.






5 Put the filter back into the purifier



6 Place and tighten the bottom cover according to the indication key





Tips

Please be careful when installing the bottom cover.



Understand the function of filter screen





Polluted air enters the filter screen through the outside, and outputs clean air from the middle up

2



Multi functional integration



- Removing formaldehyde
- Four speed wind speed switch
- Timing setting
- Tips for replacement of filter screen
- Equipped with manual and automatic, sleep and anion operation mode

Unique triple purification technology




Pre-filter	Intercept hair, fiber, large particles, dandruff, etc;
HEPA	High efficiency filtration, smoke, pollen and other particles.
Activated carbon	High quality activated carbon, modified by special proprietary technology, can effectively purify formaldehyde and other gas pollutants.


[note] high efficiency HEPA and high efficiency activated carbon are compounded in the same filter screen.



4 Usage method

Function description of control panel





- 1 ON/OFF button
- 2 Anion button
- 3 Sleep button
- 4 High speed indicator
- Medium wind speed indicator
- 6 Low wind speed indicator
- 7 Wind speed regulation and automatic gear indicator

- 8 Filter reset button
- 9 Timing 8-hour indicator
- O Timing 6-hour indicator
- 11 Timing 4-hour indicator
- 12 Timing 2-hour indicator
- 13 Timer button
- 14 WIFI button
- 15 Indicator light of air quality

Plug in the power supply

Plug in the power supply, the machine will give a long sound, all the indicator lights will be on, then the power indicator will be half on, the air quality indicator will flash once by pressing "green orange red", and the machine will enter the standby state.



Turn on the purifier



Press the power button in standby mode, the machine will sound for a long time, and the machine will start to run. At the same time, the power light will be on. The machine will enter the automatic working mode, and the automatic gear light will be on. The fan will work in the second gear (preheating for 10 seconds, and the air quality indicator will be displayed in orange). After the sensor is warmed up, the color is displayed according to the current detected value. The machine runs in automatic mode by default. When running in automatic mode, the machine will automatically select the operating wind speed according to the air quality status.



To turn off the product, press the key again, turn off the product, and then unplug the power plug of the product.

Manual mode + automatic mode



1) Manual operation mode

After power on, the air purifier is in standby state. Press the on / off button to start the air purifier. To enter the automatic working mode, press the wind speed adjustment button to prompt the sound. The wind speed circulates in the low, medium, high and sleep gears. After the wind speed is adjusted, the product runs continuously according to the adjusted wind speed.

2) Automatic operation mode

The wind speed gear is in the automatic gear, and the wind speed is automatically selected according to the air quality sensor sensing air quality; excellent low gear (green display), general middle gear (orange display), poor high gear (red display).

Color corresponding data < 20 Green < 75 orange

≥ 75 Red

The air quality value indicator displays green, orange and red colors. The specific values can be viewed on the mobile graffiti app.



Air volume setting

C Sleep≋ High gear≈ Mid range~ Low gear~ Wind button

Press the wind speed adjustment button to prompt the sound. The wind speed circulates in the automatic, low, medium, high and sleep gears. After the wind speed is adjusted, the product runs continuously according to the adjusted wind speed.

Sleep function




When the product is running, press the "wind speed" key until the sleep indicator lights up. When the prompt sound is on, enter the sleep mode, and the sleep indicator lights up (the sleep light goes off after 10 seconds). When the fan is in sleep mode, the other indicators are off. Press any key to exit the sleep mode.

Anion function




Press the negative ion button, the prompt sound is on, the negative ion indicator light is on, and the negative ion function is turned on. Press the negative ion button again, the prompt sound is on, the negative ion indicator light is off, and the negative ion function is turned off. In standby and sleep mode, the negative ion function is turned off, and other wind speed gears are controlled with the switch.

Timing setting



Timer, the machine can choose to purify in two hours, four hours, six hours and eight hours according to the needs of users.

Reset function



When reminding to replace the filter screen, after the user has replaced the filter screen, press and hold the "reset" key for 3 seconds to reset the filter screen and turn off the filter screen replacement indicator.

WIFI function



In the boot or standby mode, press and hold the WiFi key for 3 seconds to start the WiFi template automatically; the WiFi indicator flashes and connects to app.



5 Maintenance and cleaning methods

Before cleaning the product, be sure to unplug the power plug. Do not immerse the product in water or any other liquid.

Do not use abrasive, corrosive or flammable cleaning agents (such as bleach or alcohol) to clean any parts of this product.

The composite filter is not washable.



Clean air purifier

Clean the inside and outside of the purifier body regularly to prevent dust accumulation.

- 1 Use a soft dry cloth to wipe the dust off the purifier.
- 2 Clean the air inlet and outlet with a soft dry cloth.



Replace the filter screen

Information

When the reset button light flashes, remind the user to replace the filter screen.



reset

Attention

When the product is working, the indicator light for replacing the filter screen flashes, and the buzzer gives a "Ding, Ding" alarm sound to remind the user to replace the filter screen, but the purifier can still work normally.

Attention

Please shut down and unplug the power plug before replacing the filter screen. If the replacement indicator lamp still flickers after the filter screen is replaced, please press the reset key for 3 seconds to reset the filter screen. The filter screen replacement indicator light is turned off and the filter screen reset is completed.

Tips


Remove the plastic package of the filter screen before putting it into the machine.

Operation steps


1 The machine reminds you of the need to replace the filter screen



2 Turn off the power, stop the purifier, and then unplug the power plug.




3 Press the bottom cover with your fingers and screw it out in the direction of unlocking. At the same time, the bottom cover is taken out upward.






4 Remove the filter screen inside the purifier and replace it.




5 Remove the packing material from the new filter screen.




6 Put the filter screen into the purifier.




7 Put in the filter screen again, press the indicator key to put in the bottom cover and tighten it.



8 Replace the filter screen, plug in the power plug, and press the reset key for 3 seconds to reset the machine.







When idle for a long time

Remove the power plug. (because standby mode also consumes power.)

Dry the interior thoroughly.

Store the machine in a dry and ventilated place. (keeping the product flat or upside down may cause product failure.)

Reference time for replacing filter screen

The filter screen of this product is Pre-filter+ HEPA + Activated carbon filter. The filter screen can not be washed and easily damaged. Please do not press hard. The general service life is six months.

The above time is only a reference time.

Users can replace it in advance according to the actual use environment.



Please turn off and cut off the power plug before replacing the filter screen



6 Fault handling

The following table lists failure possible to appera in dairy use. Please contact company service center or dealer if you can't find answer from the listed examples.

Staus	Possible reason	Possible solutions
Machine cannot work	The back cover may not be installed correctly	Pull out the power plug and plug in the power supply
	Power plug or wire is damagedpower plug or wire is damaged	Contact customer service center or dealer
Fan doesn't work	Power plug or wire is damaged	Plug in the power and turn on the machine again
	Motor damage	Contact customer service center or dealer
	Motor is loose or foreign particles are inside the machine	Contact customer service center or dealer
Bad performance	Filter screen was not replaced	Replace a new set of filter screen
	Air inlet or outlet of the machine is blocked	Contact customer service center or dealer
	Plastic package of the filter screen was not removed	Remove the plastic package of the filter screen and reuse it
	No suitable gap or space around the machine for ventilation	Make sure that the distance between the air inlet and outlet of the machine is not less than 20 cm from the obstacle
	No filter screen in the machine	Make sure that the filters are placed into the machine in the order indicated
	More than expected room coverage	Re check whether the area of the used room is consistent with the specified area of the machine




Warranty and service

If you need information or have any questions, you can contact our customer service center or dealer.

Ordering parts or accessories

If you need to replace parts or purchase additional parts, please contact your customer and service center or dealer.

Options



Pre-filter+HEPA+Activated carbon composite filter screen

7 Other information

Recovery



When disposing of the products, please do not stack them together with the general domestic waste.

Please understand the local regulations on the collection of electronic or electrical products.

Proper disposal of old products helps to avoid potential negative effects on the environment and human health.



8 RECOMMENDATIONS

Leave your BigWater Air Purifier ON 24/7 for optimum benefits even if you are not the space it is operating in. You always want to return back into a fresh air environr gain maximum health benefits.

Keep the door shut when the device is operating when you are present inside or le room.

Your daily rewards are linked to every 20 hours of operating the device. So allow the for you 24/7 even if you are not within its vicinity.

Your BigWater Air Purifier is also a DePIN device that helps you secure Clean Air f yourself, earns daily rewards as tokens and enables 1000 litres of Clean Water for underserved communities in the world. The verified NFT for this invaluable contributed to your wallet in the BigWater mobile app. We deeply appreciate your supparticipation in this compelling mission that powers sustainability and accelerates Change.

IMPORTANT NOTICE

If the troubleshooting stepsabove do not resolve the issue, please contact BigWater. Customer Support on info@bigwater.io for assistance. Do not attempt to disassem repair the Air Purifier yourself.